## Claim Amendments

This listing of the claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (currently amended): An apparatus for producing secondary electrons, comprising:

at least one primary electrode for producing primary electrons;

an acceleration electrode for accelerating the primary electrons; and

a secondary electrode for producing secondary electrons when the accelerated primary electrons arrive, said secondary electrode having at least one aperture opening formed therein.

Claim 2 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening;

said aperture opening extends obliquely through said secondary electrode and/or said aperture opening prevents primary electrons from passing through.

Claim 3 (original): The apparatus according to claim 2, wherein said aperture opening is formed by an elongated hole defined by side surfaces configured parallel to one another.

Claim 4 (original): The apparatus according to claim 2, wherein:

said aperture opening is defined by side surfaces that overlap in a direction at which the primary electrons arrive into said aperture opening.

Claim 5 (currently amended): The apparatus according to claim [[2]] 3, wherein:

said secondary electrode has a surface in which said aperture opening is formed;

said surface has a normal; and

said side surfaces of said aperture opening are configured aligned with said normal.

Claim 6 (original): The apparatus according to claim 2, wherein said aperture opening is formed by laminates.

Claim 7 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening having has an aperture direction configured at an angle of a magnitude of between 30° and 70° with respect to a normal of said secondary electrode near said aperture opening.

Claim 8 (original): The apparatus according to claim 7, wherein:

said angle has a magnitude of 55° with respect to the normal of said secondary electrode near said aperture opening.

Claim 9 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening having has an aperture direction configured at an angle defined by: tan (90° -w) = d/b; and

w is said angle, d is a thickness of said secondary electrode, and b is a width of said aperture opening.

Claim 10 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode has side walls defining [[an]] said aperture opening;

said side walls are spaced a distance apart; and

said distance between said side walls is between 2 mm and 6 mm.

Claim 11 (original): The apparatus according to claim 10, wherein said distance between said side walls is 4 mm.

Claim 12 (original): The apparatus according to claim 1, wherein:

said at least one primary electrode includes only one primary electrode.

Claim 13 (original): The apparatus according to claim 1, further comprising:

a plurality of primary electrodes;

said secondary electrode formed with a plurality of aperture openings;

each one of said plurality of primary electrodes associated with a respective one of said plurality of aperture openings; and

at least one of said plurality of aperture openings being at a different inclination angle than another one of said plurality of aperture openings.

Claim 14 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening;

said secondary electrode is made of aluminum or of an aluminum alloy.

Claim 15 (original): The apparatus according to claim 1, wherein:

said secondary electrode is made of Al 99 or of an even purer aluminum.

Claim 16 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening; and

said secondary electrode is made of graphite or contains at least 60% by mass of graphite.

Claim 17 (currently amended): The apparatus according to claim 1, wherein:

said-secondary electrode is formed with at least one aperture opening; and

said secondary electrode is made of aluminum oxide.

Claim 18 (currently amended): The apparatus according to claim 1, wherein:

said secondary electrode is formed with at least one aperture opening; and

said secondary electrode has a mean surface roughness of between 5 and 8  $\mu m\,.$ 

Claim 19 (original): The apparatus according to claim 1, wherein:

said acceleration electrode is formed with at least 100 openings.

Claim 20 (original): The apparatus according to claim 1, wherein:

said acceleration electrode is formed at least 500 openings.

Claim 21 (original): The apparatus according to claim 1, wherein:

said acceleration electrode is formed with at least 1000 openings.

Claim 22 (original): The apparatus according to claim 19, wherein:

said acceleration electrode includes a wire mesh having at least 100 holes or meshes.

Claim 23 (original): The apparatus according to claim 1, wherein:

said acceleration electrode is formed with at least 100 openings; and

said acceleration electrode is made of aluminum or an aluminum alloy.

Claim 24 (original): The apparatus according to claim 1, wherein:

said acceleration electrode is formed with at least 100 openings; and

said acceleration electrode is made of Al 99.9 or an even purer aluminum.

Claim 25 (original): The apparatus according to claim 1, wherein:

Applic. No. 10/718,777
Amdt. dated March 30, 2007
Reply to Office action of January 29, 2007
said acceleration electrode is formed with at least 100
openings; and

said secondary electrode has a mean surface roughness; and

said acceleration electrode has a mean surface roughness of less than said mean surface roughness of said secondary electrode.

Claim 26 (original): The apparatus according to claim 25, wherein:

said mean surface roughness of said acceleration electrode is between 2.5 and 6  $\mu\text{m}\,.$ 

Claim 27 (original): The apparatus according to claim 1, further comprising:

- a free space for an ion beam to pass through; and
- a workpiece;

said ion beam being directed at said workpiece.

Claim 28 (original): The apparatus according to claim 27, wherein said workpiece is a semiconductor substrate.

Claim 29 (original): The apparatus according to claim 1, further comprising:

a free space used for holding a material or workpiece to be processed.

Claim 30 (original): The apparatus according to claim 1, further comprising:

a free space for an ion beam to pass through;

said primary electrode configured parallel to a propagation direction of said ion beam.

Claim 31 (original): The apparatus according to claim 1, further comprising:

a free space for an ion beam to pass through;

said primary electrode configured transversely with respect to a propagation direction of said ion beam.

Claim 32 (original): An apparatus for producing secondary electrons, comprising:

at least one primary electrode for producing primary electrons; and

a secondary electrode for accelerating the primary electrons;

said secondary electrode formed with at least one aperture opening for preventing primary electrons from passing through.

Claim 33 (original): The apparatus according to claim 32, wherein:

said aperture opening extends obliquely through said secondary electrode.

Claim 34 (original): The apparatus according to claim 33, wherein said aperture opening is formed by an elongated hole defined by side surfaces configured parallel to one another.

Claim 35 (original): The apparatus according to claim 33, wherein:

said aperture opening is defined by side surfaces that overlap in a direction at which the primary electrons arrive into said aperture opening.

Claim 36 (currently amended): The apparatus according to claim [[33]] 34, wherein:

said secondary electrode has a surface in which said aperture opening is formed;

said surface has a normal; and

said side surfaces of said aperture opening are configured aligned with said normal.

Claim 37 (original): The apparatus according to claim 33, wherein said aperture opening is formed by laminates.

Claim 38 (original): The apparatus according to claim 32, wherein:

said aperture opening has an aperture direction configured at an angle of a magnitude of between 30° and 70° with respect to a normal of said secondary electrode near said aperture opening.

Claim 39 (original): The apparatus according to claim 38, wherein:

said angle has a magnitude of 55° with respect to the normal of said secondary electrode near said aperture opening.

Claim 40 (original): The apparatus according to claim 32, wherein:

said opening has an aperture direction configured at an angle defined by:  $tan (90^{\circ} - w) = d/b$ ; and

w is said angle, d is a thickness of said secondary electrode, and b is a width of said aperture opening.

Claim 41 (original): The apparatus according to claim 32, wherein:

said secondary electrode has side walls defining said aperture opening;

said side walls are spaced a distance apart; and

said distance between said side walls is between 2 mm and 6 mm.

Claim 42 (currently amended): The apparatus according to claim [[32]]  $\underline{41}$ , wherein said distance between said side walls is 4 mm.

Claim 43 (original): The apparatus according to claim 32, wherein:

said at least one primary electrode includes only one primary electrode.

Claim 44 (original): The apparatus according to claim 32, further comprising:

a plurality of primary electrodes;

said secondary electrode formed with a plurality of aperture openings;

each one of said plurality of primary electrodes associated with a respective one of said plurality of aperture openings;

at least one of said plurality of aperture openings being at a different inclination angle than another one of said plurality of aperture openings.

Claim 45 (original): The apparatus according to claim 32, wherein:

said secondary electrode is made of aluminum or of an aluminum alloy.

Claim 46 (original): The apparatus according to claim 32, wherein:

said secondary electrode is made of Al 99 or of an even purer aluminum.

Claim 47 (original): The apparatus according to claim 32, wherein:

said secondary electrode is made of graphite or contains at least 60% by mass of graphite.

Claim 48 (original): The apparatus according to claim 32, wherein:

Applic. No. 10/718,777
Amdt. dated March 30, 2007
Reply to Office action of January 29, 2007
said secondary electrode is made of aluminum oxide.

Claim 49 (original): The apparatus according to claim 32, wherein:

said secondary electrode has a mean surface roughness of between 5 and 8  $\mu m\,.$ 

Claim 50 (original): The apparatus according to claim 32, further comprising:

a free space for an ion beam to pass through; and

a workpiece;

said ion beam being directed at said workpiece.

Claim 51 (original): The apparatus according to claim 50, wherein said workpiece is a semiconductor substrate.

Claim 52 (original): The apparatus according to claim 32, further comprising:

a free space used for holding a material or workpiece to be processed.

Claim 53 (original): The apparatus according to claim 32, further comprising:

a free space for an ion beam to pass through;

said primary electrode configured parallel to a propagation direction of said ion beam.

Claim 54 (original): The apparatus according to claim 32, further comprising:

a free space for an ion beam to pass through;

said primary electrode configured transversely with respect to a propagation direction of said ion beam.

Claim 55-62 (cancelled).